

Clay Roof Tile

STANDARD AND LIGHTWEIGHT COLLECTIONS

USTile[®]

Clay Roofing Products



Westlake
Royal Roofing Solutions[™]

Clay Roof Tiles



- Select Cool Roof Rated Colors
- Color Fade Limited Warranty*
- Cradle to Cradle Certified
- 100% Recyclable
- Up to 59% Recycled Content
- Class A Fire Rated
- Select Hail Rated Products



Inspired by
nature



US Tile®

Clay Roofing Products

A Roof for the Ages

A genuine clay tile roof has a story to tell, a tale of legendary craftsmanship, timeless taste, and uncompromising values.

For over 5,000 years, visionary people have crowned their homes with clay tile roofs. It continues to be a cherished tradition because of its lasting beauty and enduring strength over time.

Made from natural materials, the raw clay is literally transformed by fire. It becomes an aesthetic object shaped for time-tested style and performance, and it can remain virtually unchanged after decades of service. Clay tile roofs make a bold statement about a way of life and the art of living.

The Best Possible Clay Tile Roof

Our passion is to create the best clay tile possible, a symbol of premium roofing. Artisan inspired, crafted with care for the earth and a sense of value, our American-made tile is produced in our cutting-edge manufacturing facility. Stringent quality control assures tiles that look consistently exquisite and install smoothly.

Supporting tradition with design innovation, our tile allows for customized installations including staggering, boosting, serpentine patterns, and more.

The Most Environmentally Responsible Tile Available

We were the first in the world to obtain Cradle-to-Cradle Gold certification for a clay tile roof, upholding the highest standards of sustainability. Our clay tile is made from up to 59% recycled material and the raw materials are sourced locally reducing transportation and minimizing the environmental footprint.

Our premium manufacturing process exposes the unique, exquisite colors of clay in a pallet of rich and vibrant hues. Clay tile tends to be naturally reflective and many of our colors meet the highest cool roofing standards such as LEED, which can help improve comfort and energy efficiency.

A Promise of Performance

We believe in our clay roof tile products, which outperform virtually any roofing product on the market today. We demonstrate our belief by offering a powerful warranty to the original purchaser, which is transferrable to a new owner for a term of 50 years.*



Choose from one of our many cool roof rated tiles that will improve the energy efficiency by reflecting sunlight and heat away from your roof. When these are combined with our Elevated Batten System®, they will provide reduced cooling costs and they may even qualify for local rebates. The Cool Roof Rating Council (CRRC) measures the “coolness” of a roof by determining a roof’s solar reflectance (SR) and thermal emittance (TE). Both properties are rated on a scale from 0 to 1, where 1 is the most reflective or emissive. The CRRC measures these two properties for roofing products, both for the product’s initial values and after three years of weather exposure. US Tile® manufactures some products that meet CRRC guidelines, allowing homeowners in some regions to receive utility rebates. US Tile® products that are CRRC rated help reduce the heat island effect found in urban areas and in general, increases the overall energy efficiency of the building. For current Boral rated product listed on the CRRC website, please visit www.coolroofs.org.



For appropriate regions that experience full winter weather, some of our clay tiles meet Grade 1 standards per ASTM C1167.



Recycled Content – percentage of pre-industrial content.




2-Piece Mission



True two-piece Mission barrel tiles speak of history, security and luxury. With a simple, practical design that dates back to the Bronze Age, mission tiles have adorned the roofs of palaces, temples and the early missions in California.

2-Piece Mission tile is a perfect execution of a timeless tradition. Durable, colorfast and manufactured with the most modern methods and the highest standards, 2-Piece Mission tiles distinguish your home with unmatched beauty and elegance. All 2-Piece Mission colors are Grade 1 tested and approved per ASTM C1167.

Enduring
beauty



*Custom Blend:
Bermuda 20%
El Camino 80%*


Madera Blend

tops: 1UADU3107 / pans: 1UBDU6078  59%



CRRC ID: 0942-0177
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24


Red


tops: 1UADU7025 / pans: 1UBDU7025  59%



CRRC ID: 0942-0224
Ref: .31 / Emit: .86 / SRI: 31 / Aged SRI: Pending


El Camino Blend

tops: 1UADU6073 / pans: 1UBDU7025  59%



CRRC ID: 0942-0138a
Ref: .28 / Emit: .84 / SRI: 27 / Aged SRI: 26


Carmel Blend

tops: 1UADU0075 / pans: 1UBDU0073  49%



CRRC ID: 0942-0178
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 31


Tuscany


tops: 1UADU6075 / pans: 1UBDU6075  59%



CRRC ID: 0942-0156a
Ref: .22 / Emit: .86 / SRI: 20 / Aged SRI: 20


Palermo Blend

tops: 1UADU6081 / pans: 1UBDU7025  59%



CRRC ID: 0942-0179
Ref: 0.25 / Emit: 0.86 / SRI: 24 / Aged SRI: 22


Mallorca

tops: 1UADU6080 / pans: 1UBDU6080  49%



CRRC ID: 0942-0130
Ref: .42 / Emit: .86 / SRI: 46 / Aged SRI: 46

Fire Flash

tops: 1UADU6074 / pans: 1UBDU7025  59%



CRRC: 0942-0157a
Ref: .25 / Emit: .85 / SRI: 23 / Aged SRI: 22


Newport Blend

tops: 1UADU7040 / pans: 1UBDU6075  59%



CRRC: 0942-0160a
Ref: .19 / Emit: .86 / SRI: 16 / Aged SRI: 18

Old World #1

tops: 1UADU0073 / pans: 1UBDU0073  49%



CRRC ID: 0942-0158a
Ref: .43 / Emit: .84 / SRI: 47 / Aged SRI: 43


Bermuda Blend

tops: 1UADU0074 / pans: 1UBDU6080  49%



CRRC ID: 0942-0131b
Ref: .42 / Emit: .84 / SRI: 45 / Aged SRI: 42

Rustic Newport


tops: 1UADI7040 / pans: 1UBDU6075  59%



CRRC ID: 0942-0160a
Ref: .19 / Emit: .86 / SRI: 16 / Aged SRI: 18

Old World #2

tops: 1UADU6078 / pans: 1UBDU6078  59%



CRRC ID: 0942-0161a
Ref: 0.29 / Emit: 0.84 / SRI: 28 / Aged SRI: 29


Turino Blend

tops: 1UADU6082 / pans: 1UBDU6080  49%



CRRC ID# - 0942-0180
Ref: .38 / Emit: .87 / SRI: 41 / Aged SRI: 38

Rustic Palermo

tops: 1UADI6081 / pans: 1UBDU7025  59%



CRRC ID: 0942-0179
Ref: .25 / Emit: 0.86 / SRI: 24 / Aged SRI: 22


Old World #3

tops: 1UADU3114 / pans: 1UBDU6078  59%



CRRC ID: 0942-0159a
Ref: .30 / Emit: .85 / SRI: 30 / Aged SRI: 29


Rustic Carmel

tops: 1UADI0075 / pans: 1UBDU0073  59%



CRRC ID: 0942-0178
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 31

Rustic Madera

tops: 1UADI3107 / pans: 1UBDU6078  59%



CRRC ID: 0942-0177
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24



Newport Blend



Transforming style
and substance
into roofing



Rustic Carmel



2-Piece Monarch

The Old-World charm of traditional small-barrel, high-arch clay tile is captured exquisitely by our two-piece Monarch tile. For the truly inspired designer or homeowner, this authentic Mediterranean style offers a more closely refined roof that is distinctive, vibrant and universally appealing.

Monarch tiles are rich with the time-honored aura of kiln-fired clay, made with modern consistency and efficiency to the most exacting standards of quality, strength, and durability.



Aesthetics
of traditional
European styling



Madera Blend

tops: 1UCDU3107 / pans: 1UDDU3107 ♻️ 59%



CRRC ID: 0942-0177
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

Newport Blend

tops: 1UCDU7040 / pans: 1UDDU7040 ♻️ 59%



CRRC ID: 0942-0160a
Ref: 0.19 / Emit: 0.86 / SRI: 16 / Aged SRI: 18

Turino Blend

tops: 1UCDU6082 / pans: 1UDDU6081 ♻️ 49%



CRRC ID: 0942-0180
Ref: .38 / Emit: .87 / SRI: 41 / Aged SRI: 38

Carmel Blend

tops: 1UCDU0075 / pans: 1UDDU3107 ♻️ 49%



CRRC ID: 0942-0178
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 31

Palermo Blend

tops: 1UCDU6081 / pans: 1UDDU6081 ♻️ 59%



CRRC ID: 0942-0179
Ref: .25 / Emit: 0.86 / SRI: 24 / Aged SRI: 22



Palermo Blend



1-Piece "S" Tile



The sophisticated composition of one-piece "S" clay tile accents the curvature of the roof, creating a distinct, elegant dimensional color. The covers and pans of classic barrel tile are joined into a single, strong, efficient piece that radiates the traditional clay tile appeal.

US Tile® clay tile is crafted with meticulous care. 1-Piece "S" Tile is designed to allow custom options such as boosting for that artisan inspired installation while saving time and cost, making clay tile beauty and value available at substantial savings.

All 1-Piece "S" Tile has been Class 3 hail rated by Architectural Testing Roof Covering Impact Certification Program: www.archtest.com, and Grade 1 tested and approved by ASTR C1167.



Superior durability
without compromising
true, kiln-fired looks



Turino Blend

1USDU6082

49%



CRRC ID: 0942-0180
Ref: .38 / Emit: .87 / SRI: 41 / Aged SRI: 38

El Camino Blend

1USDU6073

59%



CRRC ID: 0942-0138a
Ref: .28 / Emit: .84 / SRI: 27 / Aged SRI: 25

Mallorca

1USDU6080

49%




CRRC ID: 0942-0130
Ref: 0.42 / Emit: 0.86 / SRI: 46 / Aged SRI: 46

Carmel Blend

1USDU0075

49%



CRRC ID: 0942-0178
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 31

Newport Blend

1USDU7040

59%



CRRC ID: 0942-0160a
Ref: .19 / Emit: .86 / SRI: 16 / Aged SRI: 18

Red

1USDU7025

59%




CRRC ID: 0942-0224
Ref: .31 / Emit: .86 / SRI: 31 / Aged SRI: Pending

Madera Blend

1USDU3107

59%



CRRC ID: 0942-0177
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

Palermo Blend

1USDU6081

59%



CRRC ID: 0942-0179
Ref: .25 / Emit: .86 / SRI: 24 / Aged SRI: 22

Fire Flash

1USDU6074

59%



CRRC ID: 0942-0157a
Ref: .25 / Emit: .85 / SRI: 23 / Aged SRI: 22

Old World #1
1USDU0073

♻️ 49%



CRRC ID: 0942-0158a
Ref: .43 / Emit: .84 / SRI: 47 / Aged SRI: 43

Bermuda Blend
1USDU0074


♻️ 49%



CRRC ID: 0942-0131b
Ref: .42 / Emit: 0.84 / SRI: 45 / Aged SRI: 42

Rustic Madera
1USDI3107


♻️ 59%



CRRC ID: 0942-0177
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

Old World #2
1USDU6078

♻️ 59%



CRRC ID: 0942-0161a
Ref: .29 / Emit: .84 / SRI: 28 / Aged SRI: 29

Tuscany
1USDU6075

♻️ 59%



CRRC ID: 0942-0156a
Ref: .22 / Emit: .86 / SRI: 20 / Aged SRI: 20

Rustic Newport
1USDI7040


♻️ 59%



CRRC ID: 0942-0160a
Ref: .19 / Emit: .86 / SRI: 16 / Aged SRI: 18

Old World #3
1USDU3114

♻️ 59%



CRRC ID: 0942-0159a
Ref: .30 / Emit: .85 / SRI: 30 / Aged SRI: 29

Rustic Carmel
1USDI0075

♻️ 49%



CRRC ID: 0942-0178
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 31

Rustic Palermo
1USDI6081

♻️ 59%



CRRC ID: 0942-0179
Ref: .25 / Emit: .86 / SRI: 24 / Aged SRI: 22



El Camino Blend



Tuscany

Custom Blend #1

♻️ 59%



50% Fire Flash; 50% Newport Blend

Custom Blend #2

♻️ 49%



50% Bermuda Blend; 50% Carmel Blend

Custom Blend #3

♻️ 49%



50% Carmel Blend; 50% Old World #2

Custom Blend #4

♻️ 59%



50% El Camino Blend; 50% Newport Blend

Custom Blend #5

♻️ 49%



50% Carmel Blend; 50% Madera Blend

Custom Blend #6

♻️ 49%



50% Rustic Carmel; 50% Rustic Madera

Custom Blend #7

♻️ 59%



50% Old World #2; 50% Newport Blend

Custom Blend #8

♻️ 59%



50% Madera Blend; 50% Newport Blend

Custom Blend #9

♻️ 59%



50% Rustic Newport Blend; 50% Rustic Madera

Old World Tri Blend

♻️ 49%



33% Old World #1; 33% Old World #2; 33% Old World #3

De Anza Blend

♻️ 59%



80% El Camino; 10% Fire Flash; 10% Mallorca



Madera & Palermo Blend



Romano Pans



STANDARDS
per ASTM C1167

Romano Pans trace their roots to the ancient Greeks. The flat-bottomed pan is designed for use with either Mission or Monarch barrel-shaped tops and creates a look reminiscent of classical European aesthetics and style. Setting off the barrel tile, Romano Pans allow design flexibility and create a stunning appearance that signifies individuality of style in the best of taste.

Romano Pans are available in cool roof colors for a house that is as energy-efficient as it is distinctive. Romano Pans are Grade 1 tested and approved per ASTM C1167.



Old World #2
1URDU6078

♻️ 59%



CRRC ID: 0942-0161a
Ref: .29 / Emit: .84 / SRI: 28 / Aged SRI: 29

Newport Blend
1URDU7040

♻️ 59%



CRRC ID: 0942-0160a
Ref: .19 / Emit: .86 / SRI: 16 / Aged SRI: 18

Tuscany
1URDU6075

♻️ 59%



CRRC ID: 0942-0156a
Ref: .22 / Emit: .86 / SRI: 20 / Aged SRI: 20

Madera Blend
1URDU3107

♻️ 59%



CRRC ID: 0942-0177
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

Red
1URDU7025

♻️ 59%



CRRC ID: 0942-0224
Ref: .31 / Emit: .86 / SRI: 31 / Aged SRI: Pending

El Camino Blend
1URDU6073

♻️ 59%



CRRC ID: 0942-0138a
Ref: .20 / Emit: .84 / SRI: 27 / Aged SRI: 25

Sensible luxury
meets performance





ClayLite®



LIGHTWEIGHT

The beauty of kiln-fired clay and the efficiency-advantage of one-piece "S" tile are elegantly engineered into ClayLite, a genuine clay tile that reduces weight by as much as 40%. Made from the same natural materials as our standard-weight tile, ClayLite is designed especially for re-roofing.

With tile that weighs less than 600 pounds per square, a home can be enhanced with the traditional rich color palette and comfort performance of clay, often without the need for added structural reinforcement.

Merlot Blend



Encompassing
the art of living



Faux Mission



Viejo Blend*
2UNDU6084

♻️ 59%



CRRC ID: 0942-0181
Ref: .30 / Emit: .86 / SRI: 30 / Aged SRI: 27

Merlot Blend*
2UNDU6072

♻️ 59%



CRRC ID: 0942-0133a
Ref: .22 / Emit: .83 / SRI: 18 / Aged SRI: 21

Terracotta*
2UNDU6090

♻️ 59%



CRRC ID: 0942-0129
Ref: .42 / Emit: .85 / SRI: 46 / Aged SRI: 43

Corona De Oro Blend
2UNDU6085

♻️ 49%



CRRC ID: 0942-0163a
Ref: .42 / Emit: .83 / SRI: 45 / Aged SRI: 42

Chaparral Blend*
2UNDU6095


♻️ 59%



CRRC ID: 0942-0144a
Ref: .31 / Emit: .82 / SRI: 30 / Aged SRI: 29

Java Blend*
2UNDU3250

♻️ 59%



CRRC ID: 0942-0184
Ref: .20 / Emit: .86 / SRI: 16 / Aged SRI: 17



*Merlot, Corona de Oro, Viejo Custom Blend
Faux Mission*

*Grade 1 Product



ClayMax®



ClayMax lightweight tile offers a modern variant on the classic theme, a low-profile double-barrel tile that brings together the beauty and benefits of clay tile in a design that pairs resilience with sensibility.

ClayMax tile are ideal for re-roofing, as well as residential, commercial and homeowners association projects where weight, durability and value are important considerations, but style and performance are not to be compromised. All ClayMax colors have been Grade 1 approved by ASTM C1167.



Long term durability,
reminiscent of
hand crafted tile



Red
2UMDU7025



CRRC ID: 0942-0224
Ref: .31 / Emit: .86 / SRI: 31 / Aged SRI: Pending

Newport Blend
2UMDU7040



CRRC ID: 0942-0160a
Ref: .19 / Emit: .86 / SRI: 16 / Aged SRI: 18

Madera Blend
2UMDU3107



CRRC ID: 0942-0177
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

El Camino Blend
2UMDU6073



CRRC ID: 0942-0138a
Ref: .28 / Emit: .84 / SRI: 27 / Aged SRI: 25



Newport Blend

Faux Mission

The “Faux Mission” installation technique gives architects, builders and homeowners the superior aesthetics of a traditional two-piece clay tile roof at an affordable price.

We carefully designed our “S” Tile, ClayLite® and our traditional 2-Piece Mission tile profiles to fit together, allowing a custom installation that provides the aesthetics of a traditional two-piece tile while capturing the cost saving benefits of an ”S” Tile or ClayLite. The 2-Piece Mission tile is installed at the eave where the details of the roof are most visible. The “S” Tiles or ClayLite tiles are then installed on the rest of the roof for a much quicker and easier installation than a traditional two-piece tile roof.




*Faux Mission: 50% Rustic Newport; 50% Newport Blend
20% mortar boost*

An exquisite
and state-of-
the-art product
which embodies
extraordinary
creativity & design



Faux Mission: 50% Carmel; 50% Turino





Faux Mission: 50% Ristic Carmel; 50% Rustic Palermo



Faux Mission: 50% El Camino Blend; 50% Bermuda Blend





Visualize

Picture your new roof and create your custom clay tile color with US Tile® free online tool – Design-A-Blend.

Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way US Tile® makes it easy to buy with confidence.

Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

Online Ordering



Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for email alerts to notify you of your order status.

Limited Lifetime Warranty

As a brand you can trust, US Tile® offers one of the most comprehensive, fully transferable roofing warranties available on the market today.

Follow Us On Social Media

See what everyone loves about US Tile® and get inspired on: Facebook, Twitter, LinkedIn, YouTube, HOUZZ, Pinterest and Instagram.



Code Approval: Some approvals are regional and only apply to locally produced products; please contact US Tile® before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles are Class A fire rated.

Disclaimer: The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Installation: According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.

Technical Specifications

Profile	Size	Coverage	Installed Weight per Square	Pieces per Pallet	Squares per Pallet	Weight per Pallet	Birdstop	Size
 2-Piece Mission	18" x 7" - 8.5"	At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,000 lbs.	360	2.09	Approx: 2,150 lbs.		6.75" x 3.75"
NOTE: Select 2-Piece Mission meets Grade 1 standards per ASTM C1167.								
 2-Piece Monarch	18" x 5.25" - 6.75"	At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,070 lbs.	408	1.85	Approx: 2,050 lbs.		5" x 3"
 1-Piece "S" Tile	18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 800 lbs.	252	2.86	Approx: 2,400 lbs.		6.75" x 2.625"
NOTE: 1-Piece "S" Tile is Class 3 Hail Rated product per FM4473 standards. Select 1-Piece "S" Tile meets Grade 1 standards per ASTM C1167.								
 Romano Pans	18" x 11"	At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	420	-	Approx: 2,950 lbs.	-	-
NOTE: Romano Pans meet Grade 1 standards per ASTM C1167.								
 ClayLite®	18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 590 lbs.	318	3.6	Approx: 2,448 lbs.		6.75" x 2.625"
NOTE: Select ClayLite meets Grade 1 standards per ASTM C1167.								
 ClayMax®	18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 580 lbs.	418	4.75	Approx: 2,900 lbs.	-	-
NOTE: Select ClayMax meets Grade 1 standards per ASTM C1167.								

NOTE: Please call Customer Service at 800.669.8453 or login to **myWestlakeRoyal** at WestlakeRoyalRoofing.com to confirm product quantities and availability before arriving at the plant for pick up. Select products are made-to-order and are available for pick up within approximately 2-3 weeks from the order date. These made-to-order products may require a minimum quantity, so please check with customer service before placing your order.

US Tile®

Clay Roofing Products

ABOUT WESTLAKE ROYAL ROOFING SOLUTIONS™

Westlake Royal Roofing Solutions™ is the combination of DaVinci® Roofscapes and the former Boral North America roofing product lines. The company is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems and components. The company's offerings include US Tile® products, a legacy line of premium, stunning clay tile solutions manufactured to the highest standard of sustainability and craftsmanship: DaVinci® Roofscapes, beautiful and durable composite slate and shake roofing tiles; Newpoint™ Concrete Tile Roofing, the enduring line of concrete tile known for its superior strength, Class A fire rating and long-lasting beauty; Unified Steel™ Stone Coated Roofing, the ultra-lightweight roofing system which benefits from the structural strength of steel; and Westlake Royal™ Roofing Components, a full line of integrated roof components designed to deliver a higher standard of roof installation and performance.

ABOUT ABOUT WESTLAKE ROYAL BUILDING PRODUCTS™

Westlake Royal Building Products USA Inc., a Westlake company (NYSE:WLK), is a leader throughout North America in the innovation, design, and production of a broad and diverse range of exterior and interior building products, including Siding and Accessories, Trim and Mouldings, Roofing, Stone, Windows and Outdoor Living. For more than 50 years, Westlake Royal Building Products has manufactured high quality, low maintenance products to meet the specifications and needs of building professionals, homeowners, architects, engineers and distributors, while providing stunning curb appeal with an unmatched array of colors, styles, and accessories.

For more information, please visit WestlakeRoyalBuildingProducts.com. Follow us on LinkedIn, Instagram and "Like" us on Facebook.

Design-A-Blend



Explore the Infinite Color Possibilities

Design-A-Blend is your starting point to explore the infinite color possibilities with US Tile®. As you identify color combinations you are interested in, email your blends or give us a call and we will take it from there.



Visit WestlakeRoyalRoofing.com to try it today!

Sales Offices

Phoenix, ARIZONA
Corona, CALIFORNIA
Lathrop, CALIFORNIA
Stockton, CALIFORNIA
Rialto, CALIFORNIA
Denver, COLORADO
Pompano Beach, FLORIDA

Lake Wales, FLORIDA
Okeechobee, FLORIDA
Kapelei, HAWAII
Henderson, NEVADA
Fort Worth, TEXAS
Katy, TEXAS

Corporate Office

Westlake Royal Building Products
2801 Post Oak, Suite 600
Houston, Texas 77056

Western Office

Westlake Royal Roofing Solutions
7575 Irvine Center Drive, Ste. #100
Irvine, CA 92618

Customer Service

800.669.TILE (8453)

Website



WestlakeRoyalRoofing.com



Westlake
Royal Roofing Solutions™